

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/617,731 07/14/2003		Mitsuo Yamada	023971-0291	3612	
22428	7590	04/26/2005		EXAMINER	
FOLEY A	ND LAR	DNER	RAYFORD, SANDRA M		
SUITE 500 3000 K STI		,	ART UNIT	PAPER NUMBER	
WASHING	TON, DO	20007	1772		
				DATE MAILED: 04/26/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)						
		10/617,731	YAMADA ET AL.						
	Office Action Summary	Examiner	Art Unit						
		Sandra M. Nolan	1772						
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
THE - Exter after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. The period for reply specified above is less than thirty (30) days, a reply operiod for reply is specified above, the maximum statutory period we are to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	6(a). In no event, however, may a reply be tin within the statutory minimum of thirty (30) day ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered time the mailing date of this of D (35 U.S.C. § 133).	ly. communication.					
Status									
1)	Responsive to communication(s) filed on	_ ·							
2a) <u></u> ☐	This action is FINAL . 2b)⊠ This	action is non-final.							
3)[Since this application is in condition for allowar	ce except for formal matters, pro	osecution as to the	e merits is					
	closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 49	53 O.G. 213.						
Disposit	ion of Claims								
4)⊠	Claim(s) 1-14 is/are pending in the application.								
	4a) Of the above claim(s) is/are withdrawn from consideration.								
5)□	Claim(s) is/are allowed.								
	Claim(s) <u>1-14</u> is/are rejected.								
· · · · · · · · · · · · · · · · · · ·	Claim(s) <u>1-5 and 7-14</u> is/are objected to.								
8)	Claim(s) are subject to restriction and/or	election requirement.							
Applicati	ion Papers								
9) The specification is objected to by the Examiner.									
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.									
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).									
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11)	The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form P	TO-152.					
Priority (under 35 U.S.C. § 119								
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 									
Attachmen 1) Notice 2) Notice 3) Information		4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	(PTO-413) ate	O-152)					

Application/Control Number: 10/617,731 Page 2

Art Unit: 1772

DETAILED ACTION

Claims

1. Claims 1-14 are pending.

Information Disclosure Statements

2. The information disclosure statement (IDS) submitted on 14 July 2003 and 23 September 2003 were considered by the examiner.

On the 14 July IDS: citation A2 was not supplied; EP 0297888 was not listed.

On the 23 September IDS: the 2001 date for citation B1 was extracted from the document by the examiner.

Summary of Base Claims

3. The base claims of the application are claims 1 and 14. They can be summarized as follows:

Claim 1 covers a tube comprising:

- -1+ first cylindrical resin layers A including at least one resins selected from the group consisting of: polybutylene terephthalate (PBT), polybutylene naphthalate (PBN), polyethylene terephthalate (PET), and polyethylene naphthalate (PEN); and
- -1+ second cylindrical resin layers B formed generally coaxially with A and including 1+ of PBT copolymer and PBN copolymer, wherein a cylindrical resin layer forming an innermost layer of the tube is electrically conductive.

<u>Claim 14</u> covers a tube for piping in a vehicle fuel system comprising:

- -1+ first cylindrical resin layers A including at least one resins selected from the group consisting of: polybutylene terephthalate (PBT), polybutylene naphthalate (PBN), polyethylene terephthalate (PET), and polyethylene naphthalate (PEN); and
- -1+ second cylindrical resin layers B formed generally coaxially with A and including 1+ of PBT copolymer and PBN copolymer,

Art Unit: 1772

wherein a cylindrical resin layer forming an innermost layer of the tube is electrically conductive and fuel is in direct contact with the inner surface of the innermost layer.

Note: Claim 14 recites "fuel" as a requirement.

Priority

4. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Claim Objections

- 5. Claims 1-5 and 7-14 are objected to as indefinite because of the following informalities:
- a. As recited in claims 1 and 14, the phrases "polybutylene terephthalate... copolymer" and "polybutylene naphthalate... copolymer" are indefinite. What kinds of copolymers are intended?
 - b. In claim 12, are both the first and second layers conductive?
- c. In claims 7-9, is the hydrogenated dimer acid component required? It does not appear to a member of the Markush group of acids.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

- 6. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Art Unit: 1772

7. Claims 1-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nishino et al (US 6,089,278) in view of Jadamus et al (US 6,428,866).

Note: For purposes of this rejection, the examiner assumes that the dimer acids recited in some of the dependent claims were meant to be members of the Markush group of acids recited there. That is, hydrogenated dimer acids are not required reagents for those claims.

Nishino teaches tubes for transporting fuel (title, abstract) having conductive fillers in the innermost layer (col. 7, lines 20-24), a middle layer containing PBN (abstract) and outer layer that is a polyester (col. 8, lines 48-53). The layers may have similar thicknesses to those in applicants' tubes (col. 8, lines 25-33). The middle layer may contain polyalkylene naphthalate copolymers derived from terephthalic acid (col. 8, line 6), and tetramethylene glycol (col. 8, lines 15-16). The middle layer may contain polyalkylene naphthalate modified with elastomers (col. 8, lines 17-24).

Nishino's PBN's are deemed useful polyesters for its outer layer.

Nishino fails to teach that its innermost layer is conductive polyester and that the innermost layer is 3 to 30% of the total thickness of the tube.

Jadamus teaches conductive polyester resins in the innermost layers of pipes for transporting fuels (col. 5, lines 31-38). The polyesters used include PBN and impact modified forms thereof (col. 4, lines 26-29). The innermost layers are 1:5 to 1:100 of the total thickness (col. 5, lines 18-21). Its pipes are antistatic (col. 1, lines 12-15).

"Pipes" are deemed to be tubes.

Art Unit: 1772

Since PBN is made using 1,4-butanediol, the limitations of claim 9 are met by Jadamus (see col. 4, lines 26-29).

The patents are analogous because they both deal with multilayer conduits containing one or more polyester layers.

It would have been obvious to one having ordinary skill in the art at the time of the invention to employ the conductive, impact modified PBN innermost layers of Jadamus in the tubes of Nishino in order to give them antistatic properties.

It is deemed desirable to make fuel tubes antistatic so that static charges do not build up on their surfaces.

The use of elastomer particles, such as ethylene/propylene rubber particles, as impact modifiers for polymers is well known.

8. Claims 7-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nishino and Jadamus as applied to claims 1-14 above, and further in view of Morohoshi et al (pregrant publication 2003/0121560A1).

Note: For purposes of this rejection, the examiner assumes that the dimer acids recited in claims 7-9 were NOT meant to be members of the Markush group of acids recited there. That is, hydrogenated dimer acids are required reagents for claims 7-9.

Nishino and Jadamus are discussed above. They fail to teach the use of applicants' dimer acid ingredients in making their polyesters.

Morohoshi et al teaches the use of applicants' polyesters (see par. 0025 through par. 0042, especially par. 0037) in tubes for fuels (abstract). The tubes are lightweight (par. 0001).

Art Unit: 1772

The three references are analogous because they all deal with polyestercontaining conduits for fuels.

It would have been obvious to one having ordinary skill in the art at the time of the invention to employ the polyesters of Morohoshi in the composites suggested by the combination of Nishino and Jadamus, above, in order to make the composites lightweight.

It is deemed desirable to make antistatic fuel tubes that are lightweight in order to improve the fuel economy of vehicles that include them.

Double Patenting

9. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

10. Claims 1-14 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-18 of copending Application No. 10/980,313 (based on the claims recited in US 2005/0069702A1) in view of Jadamus.

This is a <u>provisional</u> obviousness-type double patenting rejection.

Application/Control Number: 10/617,731 Page 7

Art Unit: 1772

The claims of the '313 application cover tubes containing PBN in one or more

layers.

Jadamus is discussed above.

The references are analogous because both deal with polyester-based tubes.

It would have been obvious to one having ordinary skill in the art at the time of

the invention to employ the conductive innermost layer of Jadamus in the tubes of the

'313 application to render them suitable for transporting fuels.

It is deemed desirable to make polyester tubes suitable for fuel transport in view

of the moldability polyesters and the desirability of ease of fabrication when making fuel

tubes.

Citation as of Interest

11. Smith (US 6,591,871) teaches multilayer tubes having polyalkylene

terephthalates in all layers.

Conclusion

Any inquiry concerning this communication should be addressed to Sandra M.

Nolan-Rayford, at telephone number 571/272-1495. She can be reached Monday

through Thursday, from 6:30 am to 4:00 pm, ET. If attempts to reach the examiner are

unsuccessful, contact her supervisor, Harold Pyon, at 571/272-1498.

The fax number for patent application documents is 703/872-9306.

Primary Examiner

Technology Center 1700

10617731(20050422)